



EFFICIENT AND ENERGY  
SAVING



**Nilfisk**

trusted since 1906

# EFFICIENT AND ENERGY SAVING CLEANING PERFORMANCE

- with a magnetic attraction!

Nilfisk VP600 is the efficient and advanced choice ensuring cost-effective cleaning of applications such as hotels, contract cleaning, restaurants, offices and institutions.

VP600 offers a wide range of features to choose from and you can find exactly the variant that fits your specific cleaning job. Choose the cord solution that suits you and helps you reduce cleaning time and improve the cleaning process. Great user benefits and clever design offers you what you'd expect from a Nilfisk vacuum cleaner.

- 350/800 w fan unit with an A rated Energy Labelling
- Power boost function for optimized power consumption and cleaning performance
- HEPA exhaust filter as standard
- New magnetic closing of dust compartment securing high reliability and ease of use
- Available with standard cord, detachable cord or cord rewind
- Best in class sound quality


The modular design not only allows flexibility to choose exactly what you need but it also makes the machine easy to maintain and service for years to come. When a cord is worn out or damaged, it can easily be replaced by a new cord module in no time, providing you with a machine that need never be out of service.



The modular VP600 allows flexibility to choose exactly what cord you need: standard, detachable or cord rewind



User friendly and easy to reach accessories



HEPA H13 exhaust filter is standard on all VP600 variant



Magnetic hinges securing high reliability

# YOU EXPECT IT, WE DELIVER IT!

With the highly efficient energy saving fan unit, the sound level is tough to beat! This will enable cost-effective daytime cleaning in noise sensitive areas without disturbing customers in your shop, guests in your hotel or staff in the office.



## TECHNICAL SPECIFICATIONS

| Description                                 | Unit            | VP600 BASIC | VP600 STD2      | VP600 STD3  |
|---|-----------------|-------------|-----------------|-------------|
| Item no.                                    |                 | 107412036   | 41600803        | 41600804    |
| Energy efficiency class                     |                 | <b>A</b>    | <b>A</b>        | <b>A</b>    |
| Annual energy consumption (kWh/annum)       |                 | 23          | 15              | 15          |
| Dust pick up on carpets                     |                 | D           | B               | B           |
| Dust pick up on hard floor                  |                 | na          | E               | E           |
| Dust re-emission class                      |                 | A           | A               | A           |
| Sound power level (dB(A) IEC/EN 60335-2-69) |                 | 71          | 66              | 66          |
| Rated power                                 | W               | 800         | 350/800         | 350/800     |
| Suction power end of tube                   | W               | 175         | 75/175          | 75/175      |
| Airflow                                     | l/sec.          | 30          | 24/30           | 24/30       |
| Vacuum at nozzle                            | kPa             | 22          | 15/22           | 15/22       |
| Sound pressure level BS5414                 | dB(A)           | 54          | 47/54           | 47/54       |
| Dust bag capacity                           | litre           | 10          | 10              | 10          |
| HEPA H13                                    | cm <sup>2</sup> | Yes         | Yes             | Yes         |
| Cable length                                | m               | 10 (Fixed)  | 15 (Detachable) | 10 (Rewind) |
| Length x width x height                     | cm              | 48x30x27    | 48x30x27        | 48x30x27    |
| Weight (machine only)                       | kg              | 7           | 7               | 8           |

Specifications and details are subject to change without prior notice.



Mobile scan for further info