

NEW STANDARD FOR DAILY
CLEANING PERFORMANCE AND
MANEUVERABILITY





NEXT GENERATION IN DAILY SMALL AREA SCRUBBING AND DRYING

The SC351 is adding next generation performance to a century of Nilfisk traditions for trusted and reliable cleaning equipment. Nilfisk SC351 is offering both forward and backward scrubbing and drying with an impressive brush pressure of 27 kg. Easy to see how useful this feature is for cleaning in crowded places, between and behind tables, shelves, furniture and in other less accessible areas. Add to that an attractive price and unmatched reliability.

Ideally suited for cleaning of hotels, schools, small shops, offices, canteens and coffee shops, SC351 is offering unique performance in a small and handy machine. Drop the mop, single disc or heavy, expensive machines and achieve remarkable results with Nilfisk SC351:

- Rotating deck enabling this compact unit to scrub and dry going either forward or backward
- \cdot 27 kg of down pressure for outstanding scrubbing effectiveness.
- · Powerful brush motor to increase reliability, reduce service costs and giving superior cleaning performance
- · A redesigned deck ensures reliability and increased performance with low maintenance costs
- Optima batteries available offering high productivity, constant performance, less weight and more environmental friendly with the use of less lead
- · Easy brush adjustment for perfect traction control
- New squeegee system with high suction performance, and patent blade retaining system for easy removal and change of blades
- · Fast and simple maintenance: All components are accessible quickly, without the need for tools
- · Adjustable water flow with two optional settings.
- · Brush deck with large bumper rollers and spring system for shock absorption improve reliability



Thanks to the compact design and foldable handle, the SC351 is easy to transport and store, even when space is limited



Removable two tank system with transparent plastic lid and rubber protected handles makes them easy to carry

JJ "EASY EVERYWHERE CLEANING"





The unique rotating deck and 27 kg brush pressure enable SC351 to clean and dry both forward and backward reaching even the most inaccessible places



Low sound level allow daytime cleaning in sound sensitive areas



The powerful brush motor is designed for maximum reliability and cleaning performance

RELIABILITY IS ALSO OUR MANTRA WHEN IT COMES TO SERVICE

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: four levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

24-HOUR SERVICE

Full Service+ Solution

A total coverage package offering four maintenance visits a year + service at a known fixed cost. Optimal for customers with a need for extensive daily cleaning. Labour, travel expenses, spares and parts are all included.

Full Service Solution

A package offering four maintenance visits a year + service. Ideal for customers who clean daily. Labour, travel expenses and spares are included.

Standard Service Solution

This package provides two preventative maintenance visits a year. Labour and travel expenses are included.

Subscription Solution

By entering the subscription contract, the customer agrees to a minimum of one maintenance visit per year.

Ergonomic adjustable handle that easily can be folded for storage or transportation


On-board battery charger as standard


The brush and squeegee blades can easily be changed. No need for tools


Two knobs beneath the tanks allow simple adjustment of the deck angle for full traction control





High performing Polyurethane squeegee blades as standard











TECHNICAL SPECIFICATIONS

Description	Unit	SC351
Voltage	V	12
Rated power	W	500
Sound pressure levet at 1.5m	dB(A)	64
Productivity rate theoretical/ actual	m²/h	1480/890
Scrubbing width	mm	370
Max speed	km/h	4
Solution/recovery tank	litre	11/11
Brush/pad diameter	mm	370
Brush pressure	kg	27
Brush speed	rpm	140
Length x width x height (machine body)	cm	73x43.5x47
Net weight	kg	44
Gross weight	kg	80
Shipping weight	kg	48
Shipping weight (full pkg)	kg	70

Specifications and details are subject to change without prior notice.

Nilfisk 1/13 Bessemer St Blacktown NSW 2148 Ph: 1300 556 710 www.nilfisk.com.au green

